

FOOD SAFETY & COMFORT SOLUTIONS



DUNLOP
FOOD PRO

ENGINEERED FOR SUPERIOR PERFORMANCE

“During our trial of the Dunlop Purofort FoodPRO boot, we were thoroughly impressed with its performance. The slip-resistant properties and enhanced grip exceeded our expectations, significantly reducing the risk of slips, trips, and falls on our shop floor.”

PETE CHAMBERS

The Hygiene Manager and responsible for health and safety at the Wolverhampton-plant.

FROM **GOOD**
TO **BETTER**
AND **BEST**

BEST

PUROFORT®



BETTER

ACIFORT®



GOOD

PVC



**DUNLOP®
PUROFORT® RANGE**

**DUNLOP®
ACIFORT® RANGE**

**DUNLOP® PVC
RANGE**

COMFORT
Meeting end-user needs



DURABILITY
Fulfilling lifetime expectancy



PROTECTION
Meeting the standards



DUNLOP FITS FOR PURPOSE

FOR TWO MAIN CUSTOMER TYPES



“These boots have helped me get the job done for generations”

EASY ON & OFF

- Easy on and off boots let you hop in and hop out
- Generous fit for all leg sizes
- Ample space from ankle to toe

SERIES



DUNLOP PUROFORT
FOODPRO BIO-BASED



DUNLOP PUROFORT
FOODPRO MULTIGRIP



DUNLOP ACIFORT
CLASSIC+

Classic fit boots have generous fit that some people size down vs. their regular sneaker or shoe size. Every fit is different so make sure to try before you buy.

Dunlop has two different fits for the different needs of our customers. The innovative Sneaker Fit locks in your foot and ankle and reduces walking weight, while the Classic Fit allows for easy movement, reducing cuts and tears with its flexibility.

“Why shouldn’t my work boots be as comfortable as my sneakers?”



**SNEAKER
FIT**



ELIMINATES HEEL SLIPPAGE

- Fits true to size like a sneaker
- Eliminates heel slippage to help reduce slips, trips and falls
- Flexible upper and midfoot area fitted to lock in the foot in every step


SERIES



DUNLOP WORK-IT

Our newly launched products have a tighter fit. Buy true to size. In between sizes? We recommend you to size up.

PUROFORT® GUARANTEES YOU LONG-LASTING COMFORT



Strong and Flexible

ENGINEERED FOR SUPERIOR PRODUCT PERFORMANCE


Purofort® is the unique Dunlop® material with millions of air pockets that are evenly distributed in a cross-linked structure. This creates a lightweight and thermally insulating material that is exceptionally strong and flexible, guaranteeing you superior product performance.

PUROFORT®

BENEFITS


LIGHTWEIGHT

Purofort® boots are up to 35% lighter than PVC, rubber or competitive PU boots. No more tired feet!




EXCELLENT COLD INSULATION

Purofort® prevents heat loss and provides thermal insulation down to -20°C and even to -50°C. No more cold feet!




FLEXIBLE

Purofort® is extremely flexible, giving you maximum comfort.



MAX STRETCH

Purofort® provides maximum stretch, assuring your boots a longer life-time.



DISCOVER MORE
dunlopboots.com/purofort

DUNLOP PUROFORT® FOODPRO BIO-BASED

The icon food boot made with
30% bio-based materials

bio-based materials for 36%
carbon footprint reduction



Gender specific design and
orthopaedic insole design
for superior comfort



Highest SRC+ rated slip resistant
outsole for multiple types of
flooring and contamination

ARTICLE : CA61131.BI
STANDARD : EN ISO 20345:2011 S4 CI SRC
SIZE RANGE : EU 35/36, 37-48, 49/50

 **DUNLOP**
PROTECTIVE FOOTWEAR



| | |
|-------------|---|
| ARTICLE | CA61131 Dunlop® Purofort® FoodPro MultiGrip safety |
| DESCRIPTION | Outstanding all day comfort for the food professional |
| STANDARD | EN ISO 20345:2022+A1:2024 S4 CI SR FO |
| SIZE RANGE | EU 35/36, 37-48, 49/50 |
| PROPERTIES | <ul style="list-style-type: none"> Anatomically shaped footbed with insole for all day foot support Lightweight and cold insulation wearing comfort Highest SR rated slip resistant outsole for multiple types of flooring and contamination |



| | |
|-------------|---|
| ARTICLE | CA61631 Dunlop® Purofort® FoodPro MultiGrip safety |
| DESCRIPTION | Outstanding all day comfort for the food professional |
| STANDARD | EN ISO 20345:2022+A1:2024 S4 CI SR FO |
| SIZE RANGE | EU 35/36, 37-48, 49/50 |
| PROPERTIES | <ul style="list-style-type: none"> Anatomically shaped footbed with insole for all day foot support Lightweight and cold insulation wearing comfort Highest SR rated slip resistant outsole for multiple types of flooring and contamination |



| | |
|-------------|---|
| ARTICLE | CA61831 Dunlop® Purofort® FoodPro MultiGrip safety |
| DESCRIPTION | Outstanding all day comfort for the food professional |
| STANDARD | EN ISO 20345:2022+A1:2024 S4 CI SR FO |
| SIZE RANGE | EU 35/36, 37-48, 49/50 |
| PROPERTIES | <ul style="list-style-type: none"> Anatomically shaped footbed with insole for all day foot support Lightweight and cold insulation wearing comfort Highest SR rated slip resistant outsole for multiple types of flooring and contamination |



| | |
|-------------|--|
| ARTICLE | CA61131.BI Dunlop® Purofort® FoodPro Bio-Based MultiGrip safety |
| DESCRIPTION | The iconic food boot made with 30% plant-based materials |
| STANDARD | EN ISO 20345:2011 S4 CI SRC |
| SIZE RANGE | EU 35/36, 37-48, 49/50 |
| PROPERTIES | <ul style="list-style-type: none"> Made with 30% plant-based materials for 28% carbon footprint reduction Lightweight with anatomically shaped footbed and insole for all day foot support Highest SRC+ rated slip resistant outsole for multiple types of flooring and contamination |



| | |
|-------------|---|
| ARTICLE | CA61131.CH Dunlop® Purofort® FoodPro MultiGrip Calf safety |
| DESCRIPTION | Outstanding all day comfort for the food professional |
| STANDARD | EN ISO 20345:2022+A1:2024 S4 CI SR FO |
| SIZE RANGE | EU 35/36, 37-48, 49/50 |
| PROPERTIES | <ul style="list-style-type: none"> Anatomically shaped footbed with insole for all day foot support Lightweight and cold insulation wearing comfort Highest SR rated slip resistant outsole for multiple types of flooring and contamination |



| | |
|-------------|---|
| ARTICLE | DA60131 Dunlop® Purofort® FoodPro MultiGrip |
| DESCRIPTION | Outstanding all day comfort for the food professional |
| STANDARD | EN ISO 20347:2022+A1:2024 O4 CI SR FO |
| SIZE RANGE | EU 35/36, 37-48, 49/50 |
| PROPERTIES | <ul style="list-style-type: none"> Anatomically shaped footbed with insole for all day foot support Lightweight and cold insulation wearing comfort Highest SR rated slip resistant outsole for multiple types of flooring and contamination |

DUNLOP ACIFORT® **CLASSIC+**

The food processing boot designed
for hygiene and slip resistance



Energy absorbing
heel design

Smooth, easy cleaning
hygienic design



SR rated slip resistant
outsole

ARTICLE : A181331 (SAFETY) | B180331 (NON-SAFETY)
STANDARD : EN ISO 20347:2022+A1:2024 04 SR FO
SIZE RANGE : EU 34/35, 36-49



Dunlop® Acifort® Classic+ safety

A181331

| | |
|-------------|---|
| ARTICLE | A181331 Dunlop® Acifort® Classic+ safety |
| DESCRIPTION | The food processing boot designed for hygiene and slip resistance |
| STANDARD | EN ISO 20345:2022+A1:2024 S4 FO SR |
| SIZE RANGE | EU 34/35, 36-49 |
| PROPERTIES | <ul style="list-style-type: none"> • Energy absorbing heel design • Smooth, easy cleaning hygienic design • SR rated slip resistant outsole • Protective toecap |



Dunlop® Acifort® Classic+

B180331

| | |
|-------------|--|
| ARTICLE | B180331 Dunlop® Acifort® Classic+ |
| DESCRIPTION | The food processing boot designed for hygiene and slip resistance |
| STANDARD | EN ISO 20347:2022+A1:2024 O4 SR FO |
| SIZE RANGE | EU 34/35, 36-49 |
| PROPERTIES | <ul style="list-style-type: none"> • Energy absorbing heel design • Smooth, easy cleaning hygienic design • SR rated slip resistant outsole |



Dunlop® Acifort® Tricolour safety

A781331

| | |
|------------|---|
| ARTICLE | A781331 Dunlop® Acifort® Tricolour safety |
| STANDARD | EN ISO 20345:2011 S4 SRA |
| SIZE RANGE | EU 36-47 |
| PROPERTIES | <ul style="list-style-type: none"> • Durable shaft for high wear and tear resistance • Oil resistant, SRA rated outsole for perfect grip • Slip resistant to assure safe working conditions • Protective toecap |



Dunlop® Acifort® Tricolour

B780331

| | |
|------------|--|
| ARTICLE | B780331 Dunlop® Acifort® Tricolour |
| STANDARD | EN ISO 20347:2012 O4 FO SRA |
| SIZE RANGE | EU 36-47 |
| PROPERTIES | <ul style="list-style-type: none"> • Durable shaft for high wear and tear resistance • Oil resistant, SRA rated outsole for perfect grip • Slip resistant to assure safe working conditions |

DUNLOP® WORK-IT

Practical food boot for general use



Oil resistant outsole with antistatic properties



Protective toecap and midsole (steel)



ARTICLE : NB1JB01
STANDARD : EN ISO 20345:2022 S4 SR FO LG
SIZE RANGE : EU 35 - 50

SR rated slip resistant outsole



DUNLOP TEST-SLIP ASSESSMENT

DUNLOP HELPS YOU TO SELECT THE BEST SAFETY BOOT FOR GENERAL USE

Slips & Trips is the second most common cause of serious injury in the workplace. After “manual handling”, comes slips & trips accounting for 25 % of serious accidents. Dunlop® uses the Slip Assessment Test (developed by the HSE*) to analyse your slip risks, in order to offer you the best solutions.



Dunlop® PVC Work-It safety NB1JB01

| | |
|------------|--|
| ARTICLE | NB1JB01 Dunlop® PVC Work-It safety |
| STANDARD | EN ISO 20345:2022 S4 SR FO LG |
| SIZE RANGE | EU 35 - 50 |
| PROPERTIES | <ul style="list-style-type: none"> • Lightweight modern design • Oil resistant outsole with antistatic properties • Highest SR-slip rating for perfect grip on any terrain • Protective toecap (steel) |



Dunlop® Pricemastor

380BV

| | |
|------------|---|
| ARTICLE | 380BV Dunlop® Pricemastor |
| STANDARD | CE |
| SIZE RANGE | EU 35-48 |
| PROPERTIES | <ul style="list-style-type: none"> • Waterproof to give protection in wet conditions • Oil resistant outsole for use in less slippery areas |

Dunlop® Bicolour wellie shoe

B370411

| | |
|------------|--|
| ARTICLE | B370411 Dunlop® Bicolour wellie shoe |
| STANDARD | EN ISO 20347:2012 OB FO CI SRA |
| SIZE RANGE | EU 35/36, 37-46 |
| PROPERTIES | <ul style="list-style-type: none"> • Waterproof to give protection in wet conditions • Oil resistant, SRA rated outsole for perfect grip • Slip resistant to assure safe working conditions |



MISSION

**EMPOWER THE
MAKERS AND
DOERS OF THE
WORLD TO GET
THE JOB DONE
SAFELY.**

THE DUNLOP

DIFFERENCE




Sustainability Promise

We are in the top 5% of sustainable companies globally.



History of Innovation

Dunlop has been reinventing the work boot for over 130 years.



Materials Matter

Our proprietary Purofort, Acifort, and PVC materials ensure our customers get exactly what they need to get the job done.



Long-Term Value

Dunlop boots outlast and outperform the competition.



Fits For Purpose

The Classic Fit and Sneaker Fit of our boots ensure that every maker and doer of the world has the perfect fit.



STF Center

Dunlop's STF Center is relentlessly pursuing the eradication of slips, trips, and falls.

STEPPING UP

TO DO WHAT'S

RIGHT





**KG CO2e reduction/pair
6% versus 2019 base year**



**Received EcoVadis Gold
Rating 3 years in a row**



**Recycled content products
and Bio-Based content
products**



**All manufacturing sites
powered by 100%
renewable energy**



**13,000 pairs of boots
donated to people in need**



**Insoles 85%
recycled content**



**65 Tons
recycled PVC**




**11,140 total training hours
Average 29 hours per
employee**



**Switching packaging
from virgin and/or fossil
to recycled and/or
renewable**

DUNLOP PROTECTIVE FOOTWEAR EMPOWER END-USERS AROUND THE WORLD



Havre De Grace, United States



Raalte, The Netherlands



Leiria, Portugal

REACH COMPLIANT

ALL DUNLOP® BOOTS ARE PRODUCED ACCORDING TO THE LATEST REACH REGULATION AND DO NOT CONTAIN ANY RESTRICTED SUBSTANCES

| | | | | | | | |
|------------|---------------|--|-----------------------------|--|-----------------------|--|-----------------------|
| S4 | S4-CERTIFIED | | SLIP RESISTANT OUTSOLE | | WATERPROOF | | CLASSIC FIT |
| S5 | S5-CERTIFIED | | SLIP RESISTANT OUTSOLE | | COLD INSULATION | | SNEAKER FIT |
| SB | SB-CERTIFIED | | SLIP RESISTANT OUTSOLE | | OIL RESISTANT OUTSOLE | | ANKLE PROTECTION |
| O4 | O4-CERTIFIED | | PROTECTIVE TOECAP & MIDSOLE | | CHEMICAL RESISTANT | | METATARSAL PROTECTION |
| O5 | O5-CERTIFIED | | PROTECTIVE TOECAP | | ENERGY ABSORBING | | HEAT RESISTANT |
| OB | OB-CERTIFIED | | LIGHTWEIGHT | | ANTISTATIC | | CUT RESISTANT |
| S5L | S5L METALFREE | | LADDERGRIP | | METALFREE | | HIGH VOLTAGE |
| S5S | S5S METALFREE | | THERMAL -60° | | ESD | | CE-CERTIFIED |

CONTACT

Dunlop® Protective Footwear
Boeierstraat 12
NL-8102 HS Raalte
The Netherlands
T +031 088-200-4900
E info@dunlopboots.com



CONTACT US
dunlopboots.com

Dunlop® Protective Footwear works closely with:



Tested & Certified by:

